



BuyerWin Int'l Co., Ltd.

Add: 1F, No.60, Ln. 47, Ping-an 6th St.,
Xiushui Township, Changhua County 50477, Taiwan.

Tel: +886-4-7636495

Fax: +886-4-7611196

E-mail: avola@avola.com.tw

Website: www.avola.com.tw

Avola

www.avola.com.tw



Index

Mini Velo & Folding Bike Parts

Pedal

Carbon Bottle Cage

Brake & Shift Cable

Brake & Shift Inner Wires

Brake & Shift Cable Parts

Grip

Bar Tape

Floor Pump/ Mini Pump

Patches Accessories

Bike Tools

Brake Pads

Ripe

D16*W16*T0.5*L1070mm
Material: Nylon



QR

Front 74mm, Back 130MM,
6A14 TI Lever
Anodized Color



Chain tensioned
Material: Aluminum



Rims

F/R:Rims16"X13/8"X20H/24H/
28H/32H/36H
w/polished, Anodized Color,
w/CNC side wall



Wheelsets

20" Aluminum Clincher
Wheelsets 25mm deep Hub
20/24H Anodized w/ABI bearings
Spoke: PSR 1432, w/hub,
w/EZO bearings
Weight: 1207g



Hub



Super light Carbon Saddle

Base: Carbon
Rail: Carbon 7mm*9mm
Weight:108G



Handle Bar

Bar Center 25.4mm, T:1.7/1.15
Material: AL 7075
Anodized Color
W:580mm



L-Seatpost

φ33.9mm in 600 long
with Post Plug





Angel's Wings

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L73mm* 87mm
 Weight: 284G
 Twin Anodized Colors:
 Gold Line+Black/Blue/Red
 Single Anodized Colors:
 Silver Line+Black/Blue/Red
 Anodize With Red/Silver/
 Gold/ Green pins.



Spider Pedal

Material: 6061 Aluminum.
 Axle material: SCM415.
 CNC. Double seal bearings.
 Specification: L73mm x87mm
 Weight: 250G
 Anodize With Red/Silver/
 Gold/ Green pins.




Flying Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L74mm* 63mm
 Weight: 240G
 Available Colors: Black/Blue/Red
 Anodize With Red/Silver/
 Gold/ Green pins.



Simple Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L74mm* 63mm
 Weight: 254G
 Anodize With Red/Silver/
 Gold/ Green pins.



Step Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L83mm* 74mm
 Weight: 270G
 Available Colors:
 Silver+Black/Blue/Red
 Anodize With Red/Silver/
 Gold/ Green pins.



Link Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L85mm* 74mm
 Weight: 242G
 Anodize With Red/Silver/
 Gold/ Green pins.



Fighter Pedal

Material: 6061 Aluminum.
 Axle material: SCM415.
 CNC. Double seal bearings.
 Specification: L85mm* 79mm.
 Weight: 246G
 Available Colors: Black/Blue/Red
 Anodize With Red/Silver/ Gold/
 Green pins.



Butterfly Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L86mm* 79mm
 Weight: 252G
 Anodize With Red/Silver/
 Gold/Green pins.



Air Pedal

Material: 6061 Aluminum
 Axle Material: SCM415
 CNC. Double Seal Bearings
 Specification: L90mm*79mm
 Weight: 304G
 Available Colors: Black/Blue/Red
 Anodize With Red/Silver/ Gold/
 Green pins.



Max O Pedal

Material: 6061 Aluminum.
 Axle material: SCM415.
 CNC. 3 seal bearings.
 Specification: L95mm x115mm
 Weight: 472G
 Anodize With Red/Silver/ Gold/ Green pins.



Max Square Pedal

Material: 6061 Aluminum.
 Axle material: SCM415.
 CNC. 3 seal bearings.
 Specification: L95mm x115mm
 Weight: 476G
 Anodize With Red/Silver/ Gold/ Green pins.



X-Wave Cage
Carbon Fiber 3K Woven
Weight: 17 gm



Hug One Cage
Carbon Fiber 3K Woven
Weight: 16 gm



Wing Cage
Carbon Fiber 3K Woven
Weight: 15 gm



Circle Cage
Carbon Fiber 3K Woven
Weight: 12 gm



Inspire Cage
Carbon Fiber 3K Woven
Weight : 21 gm






Shark Cage
Carbon Fiber 3K Woven
Weight: 22 gm



Victor Cage
Carbon Fiber 3K Woven
Weight: 25 gm



Lite Eight (8) Cage
Carbon Fiber 3K Woven
Weight: 8 gm
Fit OD74mm bottle



* Outer Housing: SP5



* Outer Housing: SP4



* Kevlar Outer Housing: Kevlar SP5/ Kevlar SP4



* AL-SP Outer Housing: Alloy SP5/ Alloy SP45



* Outer Housing: 2P5




* Laser Outer Housing: laser SP5



* ST SP Outer Housing: STS SP5





Alloy End Cap & Tips

- * End Cap, 100 pcs/ bottle.
- * End Tips, 500 pcs/ bottle.
- Material: Alloy + Anodized
- Available Colors:



Cable Protector

- * Cable Protector-4pcs/box
- Available Outer Colors: ● ○ ● ●
- Available Inner Colors: ● ○



Alloy Adjust Bolts

- * M10 x P1.25 x18
- LEVER Adjust Bolts - 2pcs/ box
- Available Colors:



- * V-Brake Protector-2pcs/box
- Available Colors: ● ○ ● ● ●



Alloy Valve Caps

- * Presta & Schrader Type - 2pcs/ box
- Available Colors:



Bolt & Nut

- Alloy 7075
- M8x0.75x7L/ bolt
- M8x0.75x8.5L/nut



Inner Wires

STS Inner Wire

Teflon Slick Colors Wire

1.1mm x 2100mm 4 x 4 2pcs/ box

1.5mm x 2100mm 7 x 7 & 6 x 9 2pcs/ box

Available Colors :



Super Slick Inner Wire

Stainless Slick inner wire plus special chrome plated process for both for Brake/Shift use.
Length 2100mm



GP-FM133
Foam
133MM/L
Red



GP-FMA128R
Foam
Alloy Double Clamp
Round Type
128mm/L



GP-FMA128H
Foam
Alloy Double Clamp
Hexagon Type
128mm/L



GP-RBB130
Rubber
130mm/L
Black



GP-FMA130H
High Density Foamed
130MM/L
Black



GP-RBB128A
Rubber
128MM/L
Black



GP-RBB128B
Rubber
128MM/L
Black



GP-RBB128X
Rubber
128MM/L
Black



TP-PURW01
PU



TP-EAPP01
EVA/ 190 X 3cm,
Punch Pattern



TP-MFF01
Micro-Fiber Fabric
/ 190 X 3cm



TP-PUEA01
PU /EVA,
200 X 3cm



TP-PU190
PU/SBR Foamed,
190 X 3cm

• Floor pump
Air Digital

Hi-Strength wood handle
Steel barrel & piston
LCD digital pressure gauge
with back light
2 in 1 dual head for
Presta and Schrader
100% Air-in Valve system
(Schrader)
Replacement battery
Run time: 26hours
(1,560mins)
200psi Max
CP Silver finished
Height: 26.5", Weight: 1.88kg



Hunter HPL/HPM

Hi-Pressure Mini Pump, Full CNC Machined.
Alloy/Rubber Handle, Alloy Piston & Barrel & Cup
Long Hose Store In Piston Tube
Oversize Piston, With Piston Lock System
Alloy CNC X-Bracket System Or PC Bracket
Patent: 2 In 1 Twin Head. 120psi.



Hunter HPLG/HPMG
W/Air Pressure Gauge



Shot Gun HPL/HPM

Hi-Pressure Mini Pump, Full CNC Machined.
Alloy/Rubber Handle, Alloy Piston & Barrel & Cup
Long Hose Store In Piston Tube
Oversize Piston, Piston Lock System
Alloy CNC X-Bracket System Or PC Bracket
Free Turn Twin Head, Presta & Schrader Valve.
120psi.



Shot Gun HPLG/HPMG
W/Air Pressure Gauge



• Mini Pump
Rocket Shooter L / M

Alloy/Rubber Handle,
Alloy Piston & Barrel & Cup
Long Hose Store In Piston Tube
Oversize Piston, Piston Lock System
Alloy CNC X-Bracket System,
Hi-Pressure, Road Use, 160psi
Presta Type Only.
Weight: L:115g/M:95g



Rocket Shooter LG / MG
W/Air Pressure Gauge



Hunter HVL/HVM

Hi-Volume Mini Pump.
90psi.

Hunter HVLG/HVMG
W/Air Pressure Gauge



Shot Gun HVL/HVM

Hi-Volume Mini Pump
90psi.

Shot Gun HVLG/HVMG
W/Air Pressure Gauge



• Patches Accessories
Mini Pen Tool L/M

AL-6061 Extruding CNC Handle
Cr-Mo H/T Tool Head,
Hex 4 / 5 / 6mm,
T25, T30,
Cross Drive, Flat Drive.



Name Card Patchkit box

10 Glueless Patches
+ 1 Stainless Scuffer
+ 1 Sand Paper



Air Bomb L/M

Shock pump
Full alloy & CNC'd with gauge.
Schrader only.
Weight: L:85g/ M:67g, 300psi



Power CO2

Full alloy & CNC'd
One press in valve system
(Presta & Schrader)
Air flow control
Design for 16g thread ONLY



Pen Gauge

Full alloy & CNC'd
7075 Free turn twin head
(Schrader & Presta)
Suitable for any wheels which pressure
under 140psi (9.8bar)
Max: 140 psi, 100mm L.



Slim Flat T6

6 bits in 1 tool
size 90mm x 34mm, Weight: 77g
Hex 4 / 5 / 6 mm,
Ph1 cross drive, T25, T30



Slim Flat T8

8 bits in 1 tool
size 90mm x 41mm, Weight: 92g
Hex 2.5 / 3 / 4 / 5 / 6 mm,
Ph1 cross drive, T25, T30





QR-TI01
Quick Release
Axle: Titanium
Lever: Alloy 7075 Anodized
F: M5*112 -114 mm
R: M5*143/148/151 mm
Weight: 67.4g



QR-TI02
Quick Release
Axle: Titanium
F: M5*112-114 mm
R: M5* 143/148/151 mm
Weight: 43g



QR-CO01
Quick Release Alloy 6061 T6
Axle Cr-Mo, hole
F: M5x112-114mm
R: M5x143/148/151mm
Weight: 58g



QR-CBF01
Quick release, lever Carbon
Axle Cr-Mo * flat *
F: M5x112-114mm
R: M5x143/148/151mm
Weight: 73g



QR-CB01
Quick Release, Lever carbon
Axle Cr-Mo, hole
F: M5x112-114mm
R: M5x143/148/151mm
Weight: 76g



CL-LED01
Quick Release W/ Light LED
Dia: 31.8/34.9 mm
LR-1130 Button Cell 1.5V 2 PCS



CL-QR02
Quick release for seat
Material: CNC 6061 T6
Dia: 28.6/31.8/34.9mm
Weight: 43g



CL-QR03
Quick release for seat
Material: CNC 7075
Dia: 40-41mm
Weight: 33g



CL-QR01
Quick Release for seat
Material: CNC 6061 T6
Dia: 31.8/34.9 mm
Weight : 25g



CL-01
Clamp for seat CNC
Material: 6061 T6
Dia: 31.8/34.9 mm
Weight: 16g(34.9mm)



CL-02
Clamp for seat CNC 7075
Dia: 31.8/34.9mm
Bolt: Titanium
Weight: 12.5g

SH-TR01

Length: 72MM

Compatible: Shi.Xtr/Deore XT

Type: V-Type Brake

Other: Full CNC Machined Cartridge/
Anodized Cartridge



SH-RWCNC

Length: 55MM

Compatible: Shi.Dura Ace

Type: Road Caliper

Other: CNC Machined/
Angle adjustable



SH-XT72

Length: 72MM

Compatible: Shi.Xtr/Deore XT

Type: V-Type Brake

Other: CNC Machined Cartridge/
Aluminum



SH-RDCNC

Length: 55MM

Compatible: Shi.Dura Ace

Type: Road Caliper

Other: Full CNC Machined/
Angle adjustable



BuyerWin Int'l Co., Ltd.

Add: 1F, No.60, Ln. 47, Ping-an 6th St.,
Xiushui Township, Changhua County 50477, Taiwan.

Tel: +886-4-7636495

Fax: +886-4-7611196

E-mail: avola@avola.com.tw

Website: www.avola.com.tw